

Lord Deramore's Primary School

PROGRESSION THROUGH CALCULATIONS FOR DIVISION

MENTAL CALCULATIONS

Doubling and halving

Knowing that halving is dividing by 2

Deriving and recalling division facts

Tables should be taught everyday from Y2 onwards, either as part of the mental oral starter or other times as appropriate within the day.

Year 2 2 times table
 5 times table
 10 times table

Year 3 2 times table
 3 times table
 4 times table
 5 times table
 8 times table
 10 times table

Year 4 Derive and recall division facts for all tables up to 12×12

Year 5 & 6 Derive and recall quickly division facts for all tables up to 12×12

Using and applying division facts

Children should be able to utilise their tables knowledge to derive other facts.

e.g. If I know $3 \times 7 = 21$, what else do I know?

$30 \times 7 = 210$, $300 \times 7 = 2100$, $3000 \times 7 = 21\ 000$, $0.3 \times 7 = 2.1$ etc

Dividing by 10 or 100

Knowing that the effect of dividing by 10 is a shift in the digits one place to the right.

Knowing that the effect of dividing by 100 is a shift in the digits two places to the right.

Use of factors

$378 \div 21$ $378 \div 3 = 126$ $378 \div 21 = 18$
 $126 \div 7 = 18$

Use related facts

Lord Deramore's Primary School

Given that $1.4 \times 1.1 = 1.54$

What is $1.54 \div 1.4$, or $1.54 \div 1.1$?


MANY MENTAL CALCULATION STRATEGIES WILL CONTINUE TO BE USED. THEY ARE NOT REPLACED BY WRITTEN METHODS.

Lord Deramore's Primary School

THE FOLLOWING ARE STANDARDS THAT WE EXPECT THE MAJORITY OF CHILDREN TO ACHIEVE.

YR and Y1

Children will understand equal groups and share items out in play and problem solving. They will count in 2s, 10s and 5s.




Y2

Children will develop their understanding of division and use jottings to support calculation


✓ **Sharing equally**

6 sweets shared between 2 people, how many do they each get?



✓ **Grouping or repeated subtraction**



There are 6 sweets, how many people can have 2 sweets each?



Lord Deramore's Primary School

- ✓ Repeated subtraction using a number line or bead bar

$$12 \div 3 = 4$$



The bead bar will help children with interpreting division calculations such as $10 \div 5$ as 'how many 5s make 10?'

- ✓ Using symbols to stand for unknown numbers to complete equations using inverse operations

$$\square \div 2 = 4 \quad 20 \div \triangle = 4 \quad \square \div \triangle = 4$$

Use practical and informal written methods and related vocabulary to support multiplication and division - including calculations with remainders.

Y3 and Y4


Ensure that the emphasis in Y3 is on grouping rather than sharing.

Children will continue to use:

- ✓ Repeated subtraction using a number line

Children will use an empty number line to support their calculation.


$$24 \div 4 = 6$$



Children should also move onto calculations involving remainders.

Lord Deramore's Primary School

$$13 \div 4 = 3 \text{ r } 1$$



✓ Using symbols to stand for unknown numbers to complete equations using inverse operations


$26 \div 2 = \square$

$24 \div \triangle = 12$


$\square \div 10 = 8$

Children will develop their use of repeated subtraction to be able to subtract multiples of the divisor. Initially, these should be multiples of 10s, 5s, 2s and 1s - numbers with which the children are more familiar.

$72 \div 5$




Moving onto:



Then onto the vertical method:

Short division $TU \div U$

$72 \div 3$




Lord Deramore's Primary School

Leading to subtraction of other multiples.

$$96 \div 6$$

$$\begin{array}{r} 16 \\ 6 \overline{) 96} \\ \underline{- 60} \\ 36 \\ \underline{- 36} \\ 0 \end{array}$$

Answer : 16



Any remainders should be shown as integers, i.e. 14 remainder 2 or 14 r 2.

Children need to be able to decide what to do after division and round up or down accordingly. They should make sensible decisions about rounding up or down after division. For example $62 \div 8$ is 7 remainder 6, but whether the answer should be rounded up to 8 or rounded down to 7 depends on the context.

e.g. I have 62p. Sweets are 8p each. How many can I buy?

Answer: 7 (the remaining 6p is not enough to buy another sweet)

Apples are packed into boxes of 8. There are 62 apples. How many boxes are needed?

Answer: 8 (the remaining 6 apples still need to be placed into a box)

Y5

Children will continue to use written methods to solve short division $TU \div U$.

Children can start to subtract larger multiples of the divisor, e.g. 30x

Short division $HTU \div U$

$$196 \div 6$$

$$\begin{array}{r} 32 \text{ r } 4 \\ 6 \overline{) 196} \\ \underline{- 180} \\ 16 \end{array}$$


Lord Deramore's Primary School

$$\begin{array}{r} - \underline{12} \\ 4 \end{array}$$

Answer : 32 remainder 4 or 32 r 4

Any remainders should be shown as integers, i.e. 14 remainder 2 or 14 r 2.

Children need to be able to decide what to do after division and round up or down accordingly. They should make sensible decisions about rounding up or down after division. For example $240 \div 52$ is 4 remainder 32, but whether the answer should be rounded up to 5 or rounded down to 4 depends on the context.

Y6

Children will continue to use written methods to solve short division $TU \div U$ and $HTU \div U$.

Long division $HTU \div TU$ - chunking

$$972 \div 36$$

$$\begin{array}{r} 27 \\ 36 \overline{) 972} \\ - \underline{720} \\ 252 \\ - \underline{252} \\ 0 \end{array}$$

Answer : 27

Any remainders should be shown as fractions, i.e. if the children were dividing 32 by 10, the answer should be shown as $3 \frac{2}{10}$ which could then be written as $3 \frac{1}{5}$ in its lowest terms.

Extend to decimals with up to two decimal places. Children should know that decimal points line up under each other.

$$87.5 \div 7$$

$$\begin{array}{r} 12.5 \\ 7 \overline{) 87.5} \\ - \underline{70.0} \\ 17.5 \end{array}$$

Lord Deramore's Primary School

$$\begin{array}{r} - \underline{14.0} \quad 2x \\ \quad 3.5 \\ - \underline{3.5} \quad 0.5x \\ \quad 0 \end{array}$$

↓

Answer : 12.5

+ - + - + - + - + - + - +

By the end of year 6, children will have a range of calculation methods, mental and written. Selection will depend upon the numbers involved.

Children should not be made to go onto the next stage if:

- 1) they are not ready.
- 2) they are not confident.

Children should be encouraged to approximate their answers before calculating. Children should be encouraged to check their answers after calculation using an appropriate strategy.

Children should be encouraged to consider if a mental calculation would be appropriate before using written methods.

Year 6 progression to Year 7:

- use standard column procedures to divide four-digit integers by two-digit integers (long division)
- consolidate methods of calculation to include decimals by two-digit integers
- understand the relationship between division and inverse multiplication and use this to check calculations
- use the order of operations (BODMAS) including brackets
- consolidate and extend mental methods of calculation to include finding fractions and percentages of quantities



Approved by FGB

Meeting Date 30th June 2014